

OUR STORY



Talostone's commitment to industry innovation all began with the vision of its founder. Allan developed an interest in engineered stone, as he could see potential for the industry's growth, both in terms of improving its visual appeal as well as its production quality. After making an initial investment in an engineered stone business, he came to realise that consumer demand and engineering capabilities would eventually drive an industry evolution. He clearly foresaw the transition from engineered stone produced only in solid colours, to stone featuring sophisticated marble replication.

Allan maintained a conviction that was not necessarily shared by those around him. With his characteristic enthusiasm and optimism, and risking all that he had built so far, he left his first business to pursue his vision. Determined to succeed in creating the first engineered marble imitation surfaces, he met with multiple architects, designers, and engineers.

In the course of his research, Allan realised the environmental waste inherent in conventional stone slab sizes, and set out to find a solution through the production of jumbo sized slabs. This innovation was met enthusiastically by homeowners and architects alike, as just one slab can easily be cut into pieces sufficient to create both a benchtop and a splashback.

Allan oversaw the development of perfectly replicated marble surfaces, with each hue taking, on average, one and a half years to produce. Quite simply, before Talostone, no one had witnessed such a perfect imitation of marble, as if nature itself had lent a hand in the creative process. It's no exaggeration to say that Talostone set the standard for the engineered stone industry. Designers, architects and consumers immediately embraced this new innovation.

Allan, along with his team, has taken Talostone from strength to strength. Not only was Talostone a pioneer of jumbo sized slabs, as well as being the first to create imitation marble colours and textures from original natural marble colours, it is now introducing another Australian design first: a thinner, 12mm slab in Calacatta Luxe™ and Carrara Gioia™. This slimmer slab has unique visual appeal as well as diversity in practical applications.

Allan's commitment to himself, to his team, and to the industry is to make a genuine, positive contribution. This requires constant innovation, and vigilance to practices which support and protect the natural environment. For Allan, this contribution also means growing a company culture built on a foundation of mutual respect in which there is genuine, shared enthusiasm for the products.

There is no question that Talostone has made a strong industry impression since opening its doors in Australia in 2013, and only greater things lie ahead.

Why Talostone®

Colour Innovation

All **Talostone®** colours are extensively researched before production commences with each new style taking approximately one and a half years from concept to completion. Our research and development team stays abreast of international design trends to ensure all slab styles and colours are at the cutting edge of tomorrow's fashions.



Premium Quality

We recognise the product behind the people has to stand up to the promises we make. So we only select the finest raw materials to create our wide range of **Talostone®** colours. This means, for example, our white standard range colours are the whitest on the market and our black colours are true blacks. Designers, builders and architects can rely on **Talostone®** colours to look exactly as expected when they arrive on site.




At **Talostone**[®], Customer Service is at the core of our business. Whether you are an architect, interior designer, end user, developer, builder, kitchen/joinery company, or stonemason, it is the commitment of the **Talostone**[®] family to build relationships and take special care of our clients.






Jumbo Slab Size

The **Talostone**® jumbo slabs were an immediate success as the design and building community quickly realised they could reduce material costs and maximise slab usage as well as be more creative with their designs. Because all **Talostone**® thick-vein-colour slabs are available in pairs, this also allows designers to create pieces with that extra wow factor.







Embracing emerging design and style

Talostone® is your natural choice with its significant creative uses including the ability of redefining shape, which is a unique and innovative feature of our stone. The emerging design trend of redefining shape is embracing the beauty of curves. This can extend project possibilities such as curved benches, rounded edges, and occasional statement pieces.



Specialists in collaboration and consultancy

At **Talostone**® we pride ourselves on an exceptional product and great customer service which ensures we uphold the highest professional consultancy. Design collaboration is a process we embrace together with our clients. We communicate our shared and separate, specialised expertise to create solutions that tackle all aspects of a project.




Committed to innovation and function

At **Talostone**® we take the design and manufacture of our stone very seriously and invest heavily in research and development. Talostone is available in varied thickness including 20mm and 12mm thickness. These dimensions create stunning possibilities with back lighting effects which embody the qualities of translucency and transparency. This innovation also extends to the creative application in joinery frontage, splashbacks, feature walls and panelling.



Talostone City Experience Centre, a world of possibilities

The **Talostone**® team is committed to providing exceptional customer service at all levels. Welcome this experience by a visit to the TCEC in Sydney. Our team is highly engaged and specialised, possessing a complete and comprehensive knowledge of our products. Work with them as closely as you can and embrace the guest experience at our Sydney Experience Centre in Waterloo.





Experience the visual and functional impact of design opportunities

The search for stone is comparable to searching for just the right painting that expresses your personality and style. However, when you are dealing with a significant element that can have such a visual and functional impact, it is important to be informed about it and to have a strategy for selecting. Our Experience Centre provides the opportunity to be excited by the entirety of large panels and their endless design possibilities. Featured is an occasional piece round table in our popular Carrara Gioia.



Challenge your expectations

Talostone® will have you challenging your expectations, with fresh possibilities in joinery detail. There is no need to limit your expression to traditional surfaces. Our 12mm stone thickness is featured magnificently on integrated drawer and door fronts. Embrace a visually uniform approach or enhance surrounding elements through limitless continuity.





Colour selection is an exceptional and valuable experience

We all love tools that help make our lives easier and our colour selection displays make this possible. Choosing colour is probably the most exciting part of any new project but can also be a challenge. See how our beautiful and unique display of stone and colours can affect the feeling your space creates. Our display range will inspire and support you to choose the best quality finishes to suit your style, budget and project.


Plesse see Page-67 for Talostone product specifications

Colour Selection

Premium Marble Range



Arabescato Borghini™ 9500 New



Super White™ 9300



Calacatta Oro™ 9040 New



P13-32

Calacatta Luxe™

9030



Arabescato Nero™ 9600 New



Calacatta Gold™ 9080



Onyx White™ 9100



Lord White™ 9400 New

P47-52



Imperial Danby™ 9020

3010



Concrete Original™

9010

Deluxe Range



Arctic White™ Serene White™ 8060



Neutral White™ 3020


Talostone® is made from natural quartz and therefore some variation in colour, aggregate and pattern may occur. Talostone® recommends making your final colour selection after viewing a sample of the current batch or a full slab.

The colours in this brochure are indicative and are as close to true colour as possible. Printed April 2022 and supersedes all previous version and subject to change without notice. Copyright © Talostone® 2022. Talostone® is trademark of Talostone® Pty Ltd. ACN 162 170 194.

Marble Range



Elba White 8300



Marmo Gris™ 8250



Carrara Gioia™



P33-46

P53-66

Rustic Concrete™

8200





Carrara Gold™

Carrara Classic™

8110

Marquina™ 8270

8080

Standard Range



Crushed Ice™

5010

5050

8150



White MirrorLux™



5020



5030



Desert White™

6010



Black Caviar™



Desert Grey™

6070

Black Pearl™

6060

Italian chic welcomes contemporary flexibility within our Arabescato Borghini™. It delivers impact with a white background and soft grey veining. The blend of colour, pattern and stye offers a whole new look in our range. Create interest for all applications whether commercial or residential use, that will express beauty and distinction.



Arabescato Borghini™






Premium Marble Range

Super White™ - A highly sought after luxurious stone, our Super White™ is bound to impress. It's stylish appearance is defined by significant natural elements consisting of elegant tones of cool grey colours contrasting dark grey veining. Make a bold statement or contrast with a beautiful or sublime neutral palette.





Super White™






Arabescato NeroTM - Is where Italian elegance meets modern versatility. Distinctively defined large and small oblique regions of white surrounded by fine, dark grey veining. The intermingled play between the white and dark contrast is suitable for a broad range of uses. Whether modern or timeless in feel your design will articulate reverence to the multitude of forms offering a different view every time.




Arabescato Nero™

































Elba White - Celebrates the natural beauty of Elba stone, a magnificent Marble. It is fine and misty, featuring a sophisticated colour palette with subtle veins. Distinctly easy to live with, yet possessing the power to transform your designs into a work of art.



Elba White










Marble Range

Carrara Gioia[™] - Is one of our most popular hues in the Marble Range, due to its soft yet intricate representation of genuine marble. From smokey greys and dark threads, to pale golden veins all presented in a balanced combination, the contrasts in this marbling convey subtlety with elegance.



Carrara Gioia™

กลก






Marble Range

Rustic ConcreteTM - Is a modest addition to our Marble Range. Denoting a freely formed mottle with warm tones and a luscious texture. The natural simplicity embodies a concrete with a rustic feel. Bursting with significant unpretentious beauty, it will create authentic and grounded spaces.



Rustic Concrete[™]



Marble Range

Carrara Gold[™] - Combines a deep white base and gold details that impress a symbol of quality and distinction. Its veins are thin and feathery and that makes it unique. Our Carrara Gold[™] is magnificent as it conserves the lightness but also enhances warmth to the current surroundings.



Carrara Gold™











Marble Range

Marquina™ - Is a popular choice to convey stylish sophistication. Wisps of smoky white veins are highlighted against a stunning black background, giving it an authentic marble effect with an unforgettable presence.




Marquina™



Arctic White™ - Features the purest white in the engineered stone industry - a fresh, crisp shade without imperfection. Fine grains of pure quartz give Arctic White™ its characteristic silvery shimmer. This irreplicable shade creates a stunning impression that lends a clean, modern appeal to any home.













Deluxe Range

Neutral White ™ - Is a classic white of complimentary and ambient tone. Designed to enhance the statement of our marble colours through exceptional matching properties. A sublime accent or used as a feature to create a clear sense of space or highlight.



Neutral White™



Standard Range

Crushed Ice™ - Has a modern and current appeal, with its speckled, mosaic like crystals on a white backdrop. Like the Crushed Ice™ that gives it its name, this surface has a cool and calming sparkle. Both practical and simple, it is a popular choice for kitchen benchtops and splashbacks.





Crushed Ice[™]



▼ TALOSTONE° - Your Natural Choice°

Standard Range

White MirrorLuxTM - Is characterised by a faint shimmer that is discernible in certain light. This stone is popular for practical applications, yet retains an elegant edge. Its simplicity and durability blend easily with other design elements, making it suitable for any application.



White MirrorLux™




Standard Range

Silver Ice™ - Combines a simple white background tone with intricate, shimmery surface speckles, giving it both a sparkle

Silver Ice™









Black Caviar™ - Is our purest black surface. It's dark and silky tones offer a stark contrast to cabinetry and decor, for which reason it remains a popular choice for many applications and settings.




Black Caviar™








Black Pearl™ - Contains all of the lustre of silky black, but with a slight pearly sheen. This sophisticated black hue is perfect for all settings and creative applications.





Talostone® Product Specifications

| Colour Name | Colour Range | Nominal Slab Size | Nominal Thickness | Surface Finish |
|--------------------------------|----------------------|-------------------|-------------------|-------------------------|
| | | | | |
| Arabescato Borghini™ | Premium Marble Range | 3200x1600mm | 20mm | Polished, Matte |
| Super White [™] | Premium Marble Range | 3200x1600mm | 20mm, 12mm | Matte |
| Calacatta Oro™ | Premium Marble Range | 3200x1600mm | 20mm | Polished, Matte |
| Calacatta Luxe™ | Premium Marble Range | 3200x1600mm | 20mm, 12mm | Polished, Matte |
| Arabescato Nero™ | Premium Marble Range | 3200x1600mm | 20mm | Polished, Matte |
| Calacatta Gold™ | Premium Marble Range | 3200x1600mm | 20mm | Polished, Matte |
| Onyx White [™] | Premium Marble Range | 3200x1600mm | 20mm, 12mm | Polished |
| Lord White [™] | Premium Marble Range | 3200x1600mm | 20mm | Polished, Matte |
| Imperial Danby [™] | Premium Marble Range | 3200x1600mm | 20mm | Polished, Leather Honed |
| Concrete Original [™] | Premium Marble Range | 3200x1600mm | 20mm | Leather Honed |

| Elba White | Marble Range | 3200x1600mm | 20mm | Polished, Leather Honed |
|------------------------------|--------------|-------------|------------|-------------------------|
| Marmo Gris [™] | Marble Range | 3200x1600mm | 20mm | Polished, Leather Honed |
| Carrara Gioia™ | Marble Range | 3200x1600mm | 20mm, 12mm | Polished, Matte |
| Rustic Concrete [™] | Marble Range | 3200x1600mm | 20mm | Leather Honed |
| Carrara Gold™ | Marble Range | 3200x1600mm | 20mm | Polished |
| Carrara Classic [™] | Marble Range | 3200x1600mm | 20mm, 30mm | Polished |
| Marquina™ | Marble Range | 3200x1600mm | 20mm | Polished |

| Arctic White™ | Deluxe Range | 3200x1600mm | 20mm | Polished |
|---------------------------|--------------|-------------|------|----------|
| Serene White [™] | Deluxe Range | 3200x1600mm | 20mm | Polished |
| Neutral White™ | Deluxe Range | 3200x1600mm | 20mm | Polished |

| Crushed Ice™ | Standard Range | 3200x1600mm | 20mm | Polished |
|------------------------------|----------------|-------------|------|----------|
| White MirrorLux [™] | Standard Range | 3200x1600mm | 20mm | Polished |
| Sliver Ice [™] | Standard Range | 3200x1600mm | 20mm | Polished |
| Desert White [™] | Standard Range | 3200x1600mm | 20mm | Polished |
| Black Caviar™ | Standard Range | 3200x1600mm | 20mm | Polished |
| Desert Grey™ | Standard Range | 3200x1600mm | 20mm | Polished |
| Black Pearl™ | Standard Range | 3200x1600mm | 20mm | Polished |


20mm is normal stock, for 12mm and 30mm, please contact us regarding availability. Orders can be requested with eight weeks lead time.

Small size slabs of 3060x1440x20mm are available for selected colours for projects. Please speak to the Talostone team for more information.

Please visit *talostone.com.au* for the latest colour innovaton.

For more details of our products, please feel free to contact the Talostone team.

Edge Profiles



For more edge profiles, please speak to your architect / interior designer / developer / builder / kitchen & joinery company / stonemason.

and drop down panels)

Talostone® Health and Safety

At **Talostone**®, safety is our top priority. **Talostone**® products are safe in its manufactured state for our customers.

Talostone® products as such are not hazardous. The hazards of this product can be associated with its processing. Operations such as cutting, drilling, sawing, and polishing, etc. can generate dust, and adequate ventilation is recommended to keep exposure to airborne dust below acceptable limits. Any dry fabrication process is prohibited.

It is a legal responsibility to provide a healthy and safe work environment. All materials need to be fabricated with consideration to the material composition and behaviour under various fabrication processes. When fabricating the products (cutting, polishing, drilling, sawing, etc.) silica dust is generated. Exposure to such dust above permissible levels can be dangerous. Stonemasons are required to understand and implement the well-known and published safety measures to prevent silicosis. If the correct procedures are followed by fabricators/stonemasons, the risk of silicosis can be reduced.

All our customers should check with their stonemasons before engaging their residential and commercial projects.

Talostone® is committed to continuing working with stonemasons and regulatory authorities to improve the implementation level of the safety procedures by stonemasons.

For more detailed information of silica, please visit https://www.safeworkaustralia.gov.au/safety-topic/hazards/crystalline-silica-and-silicosis

The above information was the updated information upon the time that the brochures were printed. Talostone® reserves the rights to update information without notice. For updated information of Health and Safety, please visit regulatory authorities official websites or speak to their officers, speak to one of Talostone team members or your stonemason.

■ TALOSTONE® - Your Natural Choice®



69

Everyday Cleaning

Because all **Talostone**® surfaces are high in density and low in porosity, normal cleaning with a damp cloth and mild detergent is all that is required to maintain your benchtops.

We recommend wiping the benchtop surface with a soft cloth while the spills are still damp. If further cleaning is needed, apply a spray of mild detergent and leave for 2-3 minutes then wipe off with a soft, clean cloth. More stubborn stains can be removed with a small amount of a **Talostone®** Cream Cleanser applied to a damp, soft cloth or **Talostone®** non-abrasive sponge. We highly recommend you do not spray the cleaner directly onto the benchtop. The area should then be wiped using a circular motion, then rinse thoroughly with water and dry with a soft cloth.

We recommend thorough cleaning of your Talostone® surface on a regular basis to keep it looking as-new.

We do not recommend using abrasive cleaners or pads on **Talostone**® surfaces as this could damage the surface finish and reduce the surface shine.

Leather Honed and Matte surfaces traditionally require more daily maintenance than standard or polished finishes. With a Leather Honed or Matte finish, there is more surface area so marks, stains and other signs of daily living will show more easily on these surfaces. Most marks or stains can be removed easily using **Talostone®** Cream Cleanser.

Talostone® products are high stain resistance but not stain approved.

Scratch Resistant

Because all **Talostone**® surfaces are engineered, they are highly scratch resistant and durable. But the surface is not indestructible and any stone can be damaged by sharp or metal objects. We strongly recommend the use of a cutting board to avoid damage to your **Talostone**® surface.

| Talo | ostone® Warranty Registra | tion Form |
|--|--|---|
| Basic Information | | |
| First Name: | Surname: | |
| Street Address: | | |
| Suburb: | State: | Postcode: |
| Contact Number: | | |
| Place of Purchase | | |
| Retailer or Builder: | | |
| And/or Stonemason: | | |
| Install or Settlement Date: | | |
| Talostone® Colour Code and Name: | | |
| Talostone® Batch Number: | | |
| Product Use | | |
| ☐ Kitchen Benchtop; | ☐ Wall cladding; | |
| ☐ Kitchen Splashback; | ☐ Bathroom Vanity top; | |
| Other (Please provide details): | | |
| (Please tick all applied applications) | | |
| Signature: | | |
| | ty Policy and understood all conditions comple | tely. |
| (The returned warranty form will not be v | • | Fine address 07 Indda Dood Drootons NCW 2170 |
| | | ffice address 97 Jedda Road, Prestons NSW 2170. tration Form online at <u>talostone.com.au/suppo</u> |
| Thank you for choosing TALOSTONE' - Your Satural Claim | | u auon i oini oinine at <u>taiostone.com.au/suppo</u> |

visit talostone.com.au for the latest colour innovation

Removing Hard Stains

If a stain was unnoticed and accidentally left overnight it may become dry and difficult to clean. We recommend spraying the area with warm water and leaving it for 5 minutes. Once the dried residue becomes soft, it can be removed with a dry, soft microfibre cloth. If the stain proves to be stubborn, **Talostone®** Cream Cleanser and a damp microfibre cloth may be used, working in a circular motion. Please apply **Talostone®** Cream Cleanser to the cloth rather than directly onto the surface.

Heat Tolerance

Talostone® products contain natural quartz and this allows the surface to tolerate brief exposures to moderately hot temperatures. However, as with all stone surfaces any sudden or rapid temperature change can cause thermal shock, discolouration or damage. We recommend caution and we do not suggest hot pots and pans be placed directly on the surface.

Cleaning Agents to Avoid

All **Talostone**® surfaces are engineered to the highest chemical resistance levels available. However, strong chemicals and solvents may permanently damage the stone. We do not recommend the use of any strong caustic chemical cleaners. If your **Talostone**® surface is accidentally exposed to such chemicals, rinse the area immediately with clean water to neutralise the effect.

Talostone[®] Cream Cleanser can be purchased from **T**alostone[®] **C**ity **E**xperience **C**entre - Sydney at 1/1 Danks Street, Waterloo NSW 2017 or ordered online directly from **Talostone**[®] official website of **www.talostone.com.au**.

For more information of care and maintenance on **Talostone**® surfaces, please visit our website or contact **Talostone**® for further assistance.



T. 02 8783 0600

info@talostone.com.au